



CEMO & CASThat fits.



Cordless Alliance System (CAS) a cross-manufacturer battery pack system of leading brands. Work cable-free, flexibly and safely with the mobile trolleys and filling stations from CEMO.

The advantages at a glance:

- compatibility for over 300 machines in the 18 V class
- sustainable battery technology
- highest reliability and high investment security
- Cost advantages through multiple use of existing batteries





One battery, many solutions.















CEMO Trolleys for Diesel and AdBlue® PG 4

TROLLEY FOR REFUELLING ON THE CONSTRUCTION SITE OR IN THE FIELD.

Polyethylene container with integral hand grip and carry handles, filler cap with integral vent and breather valve. With 3 m (60 l) or 3.7 m (100 l) dispensing hose and automatic nozzle.

Description	Flow rate submersible pump	Battery capacity	Max. pumping capacity per full charge (Litres)	Dim. in cm (I x w x h)	Order no.		
Battery and charger included		CAS CORDLESS ALLAWICE SYSTEM					
Diesel trolley 60 I with submersible pump CENTRI SP 30	30 l/min	2 Ah	360	90 x 53 x 38	11597		
Diesel trolley 100 I with submersible pump CENTRI SP 30	30 l/min	4 Ah	720	100 x 59 x 43	11598		
Trolley for AdBlue $^{\otimes}$ 60 I with submersible pump CENTRI SP 30	25 l/min	2 Ah	300	90 x 53 x 38	11599		
Trolley for AdBlue® 100 I with submersible pump CENTRI SP 30	25 l/min	4 Ah	600	100 x 59 x 43	11600		
Without charger and battery – use your own standard CAS battery							
Diesel trolley 60 I with submersible pump CENTRI SP 30	30 l/min	-	-	90 x 53 x 38	11590		
Diesel trolley 100 I with submersible pump CENTRI SP 30	30 l/min	-	-	100 x 59 x 43	11591		
Trolley for AdBlue® 60 I with submersible pump CENTRI SP 30	25 l/min	-	-	90 x 53 x 38	11592		
Trollev for AdBlue® 100 I with submersible pump CENTRI SP 30	25 l/min	-	-	100 x 59 x 43	11593		







ACCESSORIES

Dieseltrolley 100 L

Trolley for AdBlue® 60 L

① Charger ASC55, 220 - 240 VAC, 3 A, CAS	11385
② Li-Power battery 18 V / 2,0 Ah CAS	11386
③ Li-Power battery 18 V / 4,0 Ah CAS	11387
④ Li-HD battery 18 V / 8,0 Ah CAS	11388













CEMO mobile tanks for diesel and AdBlue® PG 4

MOBILE REFUELLING STATIONS - ALWAYS READY.

Single-walled container made of polyethylene, vent and breather, integral forklift pockets and handles, integral recesses for ratchet straps during transport. With 4.4 m dispensing hose and automatic nozzle.

Description Battery and charger included	Flow rate submersible pump	Battery capacity	Max. pumping capacity per full charge (Litres)	Dim. in cm (I x w x h)	Order no.
CEMO DT-MOBIL EASY		SYSTEM			
DT-MOBIL EASY 210 I with submersible pump CENTRI SP 30	30 l/min	4 Ah	720	78,5 x 59,5 x 68,5	11601
DT-MOBIL EASY 440 I with submersible pump CENTRI SP 30	30 l/min	4 Ah	720	118 x 80 x 71	11603
DT-MOBIL EASY 440 I with electric pump Cematic 3000	40 l/min	4 Ah	900	118 x 80 x 71	11687
DT-MOBIL EASY 460 I with electric pump Cematic 3000	40 l/min	4 Ah	900	116 x 80 x 86	11689
DT-MOBIL EASY 600 I with electric pump Cematic 3000	40 l/min	4 Ah	900	116 x 80 x 107	11691
CEMO DT-MOBIL EASY Pick-up					
DT-MOBIL EASY Pick-up 210 I with submersible pump CENTRI SP 30	30 l/min	4 Ah	720	118 x 79 x 45	11627
CEMO BLUE-MOBIL EASY für AdBlue®					
BLUE-MOBIL EASY 210 I with submersible pump CENTRI SP 30	30 l/min	4 Ah	600	78,5 x 59,5 x 68,5	11602
Without charger and battery – use your own standard CAS battery					
CEMO DT-MOBIL EASY					
DT-MOBIL EASY 210 I with submersible pump CENTRI SP 30	30 l/min	-	-	78,5 x 59,5 x 68,5	11594
DT-MOBIL EASY 440 I with submersible pump CENTRI SP 30	30 l/min	-	-	118 x 80 x 71	11596
DT-MOBIL EASY 440 I with electric pump Cematic 3000	40 l/min	-	-	118 x 80 x 71	11686
DT-MOBIL EASY 460 I with electric pump Cematic 3000	40 l/min	-	-	116 x 80 x 86	11688
DT-MOBIL EASY 600 I with electric pump Cematic 3000	40 l/min	-	-	116 x 80 x 107	11690
CEMO DT-MOBIL EASY Pick-up					
DT-MOBIL EASY Pick-up 210 I with submersible pump CENTRI SP 30	30 l/min	-	-	118 x 79 x 45	11626
CEMO BLUE-MOBIL EASY für AdBlue®					
BLUE-MOBIL EASY 210 I with submersible pump CENTRI SP 30	30 l/min	-	-	78,5 x 59,5 x 68,5	11595



Accessories on page 5





CEMO Transfer-trolleys and caddys PG 4

EASY HANDLING FOR LIQUIDS - WATER, OIL AND ADBLUE®.

For safe, convenient indoor transfer of liquids. Container made of high-quality polyethylene, totally mobile and cable-free, low centre of gravity.

Transfer-Trolley: Integral pump sump allows the container to be emptied almost entirely. Equipped with 4 swivel castors (2 swivel castors with swivel brake) for smooth and level floors.

Aqua-Caddy: 6 m water hose with quick-coupling and water stop. Large wheels for easy handling, even off-road and over stairs.

Description Battery and charger included	Flow rate pump	Battery capacity	Max. pumping capacity per full charge (Litres)	Dim. in cm (I x w x h)	Order no.
Transfer-trolley Aqua 130 I with pump and hand sprayer	11 l/min	4 Ah	520	50 x 75 x 101	11544
Aqua-Caddy 60 I with submersible pump and spray lance (free outflow)	10 (30) I/min	2 Ah	80 (240)	90 x 52 x 37	10847
Transfer-trolley Oil 130 I with pump and oil dispensing nozzle	6 l/min	4 Ah	120	50 x 75 x 101	11546
Transfer-trolley Blue 130 I with submersible pump and automatic nozzle	25 l/min	4 Ah	600	50 x 75 x 101	11545
Without charger and battery – use your own standard CAS battery					
Transfer-trolley Aqua 130 I with pump and hand sprayer	11 l/min	-	-	50 x 75 x 101	11674
Aqua-Caddy 60 I with submersible pump CENTRI SP 30 and spray lance	10 (30) I/min			90 x 52 x 37	11684
Transfer-trolley Oil 130 I with pump and oil dispensing nozzle	6 l/min	-	-	50 x 75 x 101	11676
Transfer-trolley Blue 130 I with submersible pump and automatic nozzle	25 l/min	-	-	50 x 75 x 101	11675

Accessories on page 5





